

### MARKETING@SCHELLVACEQUIPMENT.COM

126 WHEATFIELD ROAD T. 1 (204) 336-0081 BOX 108, GROUP 200, RR2 WINNIPEG, MB - R3C 2E6 F. 1 (204) 336-0090

### WWW.SCHELLVACEQUIPMENT.COM














# AIM FOR BIGGER GOALS WITH OUR LIGHTWEIGHT TRUCK







THE SVHX11 HYDROVAC COMES WITH OR WITHOUT WINTERIZATION TO FIT THE ENTIRE NORTH AMERICAN MARKET INCLUDING CANADA AND THE USA. THIS LIGHTWEIGHT POWERHOUSE IS SUITABLE FOR CITY OR RURAL APPLICATIONS. EXCELLENT NOISE REDUCTION AND A BALANCED DRIVING EXPERIENCE MAKE THE SVHX11 HYDROVAC A BREEZE TO USE IN THE CITY. ITS POWERFUL BLOWER CREATES A FULL VACUUM AND THEREFORE PULLS MATERIAL LIKE YOU WOULDN'T EXPECT. WE BELIEVE IN OUR EQUIPMENT AND SO DO OUR CUSTOMERS. YOU'LL BENEFIT FROM OUR EXPERTISE AND INNOVATION IN THE VACUUM TRUCK AND HYDROVAC INDUSTRY. GET IN TOUCH WITH US AND TELL US ABOUT YOUR NEEDS.





MODEL: SVHX11

INIODEL. **3VUV I** 

PD BLOWER MAKE: **ROBUSCHI** 

PD BLOWER MODEL: RBDV 125

PD BLOWER CFM RATING: 3800 CFM

PD BLOWER VACUUM RATING: 28" HG

PUMP MAKE: **Pratissoli kg28A** 

GPM RATING: **18.4 GPM** 

PSI RATING: 2900 PSI

BOOM: 23-FEET REACH W/ 320 DEGREE ROTATION

REMOTE CONTROL: WIRELESS / MANUAL

BOILER MAKE: **DYNABLAST HV690F** 

BOILER: **690.000 BTU** 

TANK MATERIALS: CARBON STEEL / ALUMINUM

LINED TANK: **Standard Hard Epoxy Lined** 

COMPARTMENTS: TWO

TANK CAPACITY: 11 CUBIC YARDS

WATER CAPACITY: 1000 GALLONS

**HEATED VALVES: STANDARD** 



# SVHX-8



MODEL: SVHX8 REMOTE CONT

PD BLOWER MAKE: **ROBUSCHI** 

PD BLOWER MODEL: **RBDV 105** 

PD BLOWER CFM RATING: **2600 CFM** 

PD BLOWER VACUUM RATING: 28" HG

PUMP MAKE: **PRATISSOLI T2040** 

GPM RATING: 10.56 GPM

PSI RATING: 2900 PSI

BOOM: **20-FEET REACH W/ 320 DEGREE ROTATION** 

REMOTE CONTROL: WIRELESS / MANUAL

**BOILER MAKE: DYNABLAST HV420F** 

BOILER: **420,000 BTU** 

TANK MATERIALS: CARBON STEEL / ALUMINUM

LINED TANK: **Standard Hard Epoxy Lined** 

COMPARTMENTS: TWO

TANK CAPACITY: 8 CUBIC YARDS

WATER CAPACITY: 860 GALLONS

**HEATED VALVES: STANDARD** 





### SMALLER LIGHTER NOTHING SHORT OF AMAZING





THE SVHX8 HYDROVAC WAS DESIGNED TO BRING YOU THE FULL ADVANTAGE IN A SMALLER BODY. SHORTER AND NARROWER THAN ITS SIBLINGS, THE SVHX8 IS THE NUMBER ONE UNIT FOR YOUR URBAN JOBSITES AND GOVERNMENTAL JOBS ON NARROW CITY OR MUNICIPAL STREETS WITH LIMITED WEIGHT ALLOWANCES. CUT YOUR COSTS AND BUMP UP YOUR PROFITS. THIS TRUCK PERFORMS AND PROVIDES MASSIVE TIME AND FUEL SAVINGS OVER TIME. THE WHOLE LAYOUT IS TAILORED WITH THE OPERATOR IN MIND. FAST DUMPING, EASY OPERATIONS, AND PREPARATIONS WILL MAKE THE SVHX8 YOUR OPERATORS NEW FAVOURITE HYDROVAC, FOR SURE. NOT CONVINCED? GIVE US A CALL TO SETUP A DEMO AT YOUR JOBSITE.







FOR MORE INFORMATION PLEASE CONTACT US:

TOLLFREE: 1 (877) 336-0081 EMAIL: ALEX@SCHELLVACEQUIPMENT.COM

WITH OUR CURRENT HYDROVAC PRODUCT LINE AND WITH ALL THAT'S COMING, WE HAVE YOU COVERED. NO MATTER WHAT JOB OR WHERE THE JOBSITE IS, OUR HYDROVACS CAN GET IT DONE. FROM OUR SVHX8 URBAN UNIT TO THE SVHX9 AND SVHX11 MIDSIZE HYDROVACS, WHICH ARE TRUE ALLROUNDERS, TO THE SMART AND EFFICIENT SVHX12. ESPECIALLY IF YOU FIND YOURSELF PAYING TONS OF OVERWEIGHT TICKETS, THEN OUR UNITS ARE A GREAT FIT. SCHELLVACS COME WITH LIGHTWEIGHT ALUMINUM COMPONENTS WHEREVER THESE ARE POSSIBLE. IF YOU'RE IN NEED FOR A TRUE HEAVY DUTY UNIT TO WORK IN THE FIELDS OR ON PIPELINES THE SVHX14 TRIDIRVE IS THE WAY TO GO.

# **SVIT-2500-2800**

MODEL: **SVIT 2500 - 2800** 

PD BLOWER MAKE: ROBUSCHI

PD BLOWER MODEL: DLDV65 - DLDV85

PD BLOWER CFM RATING: 900 - 1600 CFM

PD BLOWER VACUUM RATING: 28" HG

PRESSURE PUMP: PRATISSOLI 47 SERIES \*

GPM RATING: 5.5 GPM \*

PSI RATING: 3500 PSI \*

**REAR DOOR: FULLY OPENING** 

LIGHTS: **LED LIGHT PACKAGE** 

STORAGE: ALUMINUM HOSE TRAYS AND CABINETS

TANK: **HYDRAULIC HOIST** 

TANK MATERIAL: CARBON STEEL

LINED TANK: **Standard Hard Epoxy Lined** 

COMPARTMENTS: ONE

TANK CAPACITY: 2500 - 2800 IMP. GALLONS

WATER CAPACITY: 100 US GALLONS\*

HEATED VALVES: **STANDARD** 

\* OPTIONAL EQUIPMENT











MODEL: **SVPT 950-1300** 

PUMP TYPE: **VANE PUMP** 

CFM RATING: 210 CFM

**CARRIER: FOLDABLE BUMPER** 

WINTERIZATION: YES

LIGHTING: **LED LIGHT PACKAGE** 

TANK CAPACITY: 950 - 1300 IMP. GALLONS

FRESH WATER: **DUAL COMPARTMENT LAYOUT** 

INTERIOR LINING: **HARD EPOXY LINING** 























5 \$ 5 T1600-3500

MODEL: **SVST1600-3000** 

PUMP TYPE: **Vane Pump** 

CFM RATING: **220 CFM - 630 CFM** 

VACUUM RATING: 28" HG

WINTERIZATION: YES

VIBRATOR: **Hydraulic tank vibrator** \*

LIGHTING: **LED LIGHT PACKAGE** 

TANK CAPACITY: 1600 - 3500 IMP. GALLONS

INTERIOR LINING: HARD EPOXY LINING \*











