JETJER





JETTER

The G7 Jetter....the better jetter. Customers, dealers, and the team at GapVax have been anticipating this unit for quite some time. "Designed by the operator, for the operator" is the mindset behind all of our products. This was the same approach used when engineering our jetter.



Commonly used, quality parts were incorporated so our customers will have the same dependability they've come to know and trust. The G7's user-friendly design along with proven components are a customer favorite.

GapVax builds to a higher standard and value that keeps our customers coming back. Quality components, a simplistic design, and high efficiency engine all come together to give you the best jetter option out there.

The water tank is made of polyethylene plastic and offers a 500 or 700 gallon option. Water is filtered through a 100 micron water filter prior to entering the pump. High pressure water from the water pump is directed to the jetter hose reel and/or washdown hose. Precise control of water pressure and flow is accomplished with the bypass valve.



Enclosed control box protects operational controls and moves with the operator and hose reel for user-friendly access.



Water system controls moutned near control box and jetter reel for user-friendly layout.



An enclosed engine compartment gives this jetter a clean look with user-friendly access for engine and water pump maintenance.









FEATURES

- Diesel
- NATM Certified Trailer
- Heavy duty powder coated trailer frame
- Trailer or skid-mount
- Triplex water pump
- High pressure water pump designated to use water up to 300 micron
- Water system options:
 - •20 gpm/4,000 PSI
 - •30 gpm/3,000 PSI
 - •40 gpm/2,500 PSI
- Stainless steel fluid lines under trailer
- Belt drive with 5V belts
- Dual 7,000 lb. Axles

Jetter Hose Reel:

- Hydraulically powered direct-drive gearbox
- Variable speed control
- Heavy-duty (hardened steel) water swivel
- 3' (curbside) articulation from center of bearing
- 180° Rotation
- Mounted on a heavy-duty 10" bearing with external grease fittings
- Footage counter
- 800 x 3/4" capacity hose reel (other options available)



OPTIONS

- Trailer or skid mount options available
- Tow options
- Jack (crank or electric)
- Digital footage counter
- Power rotate on jetter reel
- Other water pump configurations available (ex. 65 GPM/2,000-3,000 PSI)
- Cold weather options

- Washdown reel options
- Low water alarm
- Wireless remote
- Light package options
- Toolbox and basket options
- Wheels and tire package
- Dual Reel (info on back)
- Viper (info on back)




JEJJER

DUAL REEL

KEY FEATURES:

- -HOSE REEL CAPACITY: LARGE REEL 600' X 3/4" SMALL REEL 600' X 1/2"
- -DUAL LEVEL WINDS
- -30/3,000 PSI WATER SYSTEM
- -12,000 GVWR





THE RUGGED PROFESSIONAL TOOL FOR CLEANING AND INSPECTING BRANCHED PIPES IN ONE RUN.

KEY FEATURES:

- -STEERABLE CAMERA
- -REALTIME HD VIDEO DISPLAY
- -PIPE SIZES 3"-24"
- -PASSES THROUGH AND STEERS INTO MULTIPLE 45° BENDS In Lines 3" and larger
- -PASSES THORUGH AND STEERS INTO MULTIPLE 90° BENDS IN LINES 4" AND LARGER
- -WORKING PRESSURE UP TO 4,000 PSI
- -DIAMETER 3/8"
- -OPTIONAL ROTATING NOZZLE

AUTHORIZED GAPVAX DEALER:



HEADQUARTERS: 575 CENTRAL AVE. JOHNSTOWN, PA 15902 888-442-7829

TEXAS OFFICE: 4510 UNDERWOOD RD. LA PORTE, TX 77571 281-884-8648